

Table B-1
Groundwater VOC Concentrations
Second Semi-Annual Groundwater Monitoring Report for 2016
Fibers Public Supply Wells Superfund Site, Guayama, Puerto Rico

Table B-1
Groundwater VOC Concentrations
Second Semi-Annual Groundwater Monitoring Report for 2016
Fibers Public Supply Wells Superfund Site, Guayama, Puerto Rico

Table B-1
Groundwater VOC Concentrations
Second Semi-Annual Groundwater Monitoring Report for 2016
Fibers Public Supply Wells Superfund Site, Guayama, Puerto Rico

Location/Field Sample ID:	MW-1C-1BR-A	MW-1C-2	MW-1C-3	MW-1C-4	FMW-4-20	FMW-4-90	MW-2C-1BR	GW-DUP002 of MW-2C-1BR	MW-2C-2	MW-2C-3	MW-2C-4	MW-2C-5	MW-1	MW-4B-1BR	GW-DUP003 of MW-4B-1BR	MW-4B-2	MW-4B-3	MW-4B-4	MW-2	
Lab Sample ID:	2044709006	2044709003	2044709004	2044709007	2046226015	2046226014	2046226007	2046226008	2046226011	2046226010	2046226012	2046226009	2044709010	2046863003	2046863004	2046831017	2046863005	2046831016	2046831004	
Sample Date:	10/20/2016	10/19/2016	10/19/2016	10/20/2016	11/17/2016	11/17/2016	11/16/2016	11/16/2016	11/16/2016	11/16/2016	11/16/2016	11/16/2016	10/21/2016	12/2/2016	12/2/2016	12/1/2016	12/2/2016	12/1/2016	11/28/2016	
Volatile Organic Compounds (µg/L)	GWCC																			
Tetrachloroethene	5	10.5	4.4	3.7	5.5	3.1	1.2	4.7 J	1.0 UJ	1.0 U	1.0 U	1.0 U	5.9	1.0 U	1.0 U	3.1	13.3	1.2	1.8	
Trichloroethene	5	1.0 U	1.0 U	1.0 U	1.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
1,1,1-Trichloroethane	200	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
1,1,2,2-Tetrachloroethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
1,1,2-Trichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
1,1,2-Trichlorotrifluoroethane	50	1.0 U	1.3	1.0 U	5.7	6.2	4.5	9.4	1.0 U	1.0 U										
1,1-Dichloroethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
1,1-Dichloroethene	7	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
1,2,3-Trichloropropane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
1,2-Dichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
1,2-Dichloropropene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
2-Butanone	50	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U							
2-Hexanone	50	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U							
4-Methyl-2-pentanone	50	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U							
Acetone	50	4.0 U	4.0 U	4.0 U	4.0 U	23.5	10.0	13.9	9.5	48.3	44.9	13.9	13.6	4.0 U	32.4	13.0	11.4	30.7	27.0	16.5
Acrolein	50	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U							
Acrylonitrile	50	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U							
Benzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
Bromodichloromethane	100	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
Bromoform	10	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
Bromomethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
Carbon disulfide	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
Carbon tetrachloride	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
Chlorobenzene	100	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
Chloroethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
Chloroform	70	1.0 U	1.4	1.0 U	1.5	1.4	2.0	1.0 U	1.0 U	1.0 U										
Chloromethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
cis-1,2-Dichloroethene	50	1.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U						
cis-1,3-Dichloropropene	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
Dibromochloromethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U							
Dibromomethane	50	1.0 U	1.0 U	1.0 U																

Table B-1
Groundwater VOC Concentrations
Second Semi-Annual Groundwater Monitoring Report for 2016
Fibers Public Supply Wells Superfund Site, Guayama, Puerto Rico

Table B-1
Groundwater VOC Concentrations
Second Semi-Annual Groundwater Monitoring Report for 2016
Fibers Public Supply Wells Superfund Site, Guayama, Puerto Rico

Table B-1
Groundwater VOC Concentrations
Second Semi-Annual Groundwater Monitoring Report for 2016
Fibers Public Supply Wells Superfund Site, Guayama, Puerto Rico

Location/Field Sample ID:	FB-20161122	FB-2016-11-28	FB-2016-11-29	FB-2016-11-30	FB-2016-12-01	FB-20161202	TB-2016-10-19	TB-2016-10-24	TB-2016-10-27	TB-2016-10-31	TB-2016-11-03	TB-20161109	TB-2016-11-14	TB-20161121	TB-2016-11-28	TB-20161202	
Lab Sample ID:	2046479007	2046831002	2046831005	2046831010	2046831015	2046863002	2044709001	2044901001	2045112001	2045279001	2045393001	2045755001	2046226001	2046479001	2046831001	2046863001	
Sample Date:	11/22/2016	11/28/2016	11/29/2016	11/30/2016	12/1/2016	12/2/2016	10/19/2016	10/24/2016	10/27/2016	10/31/2016	11/3/2016	11/9/2016	11/14/2016	11/21/2016	11/28/2016	12/2/2016	
Volatile Organic Compounds (µg/L)	GWCC																
Tetrachloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
Trichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
1,1,1-Trichloroethane	200	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
1,1,2,2-Tetrachloroethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
1,1,2-Trichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
1,1,2-Trichlorotrifluoroethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
1,1-Dichloroethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
1,1-Dichloroethene	7	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
1,2,3-Trichloropropane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
1,2-Dichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
1,2-Dichloropropane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
2-Butanone	50	2.0 U	8.3	8.2	9.2	9.8	10.1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	
2-Hexanone	50	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	
4-Methyl-2-pentanone	50	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	
Acetone	50	15.7 J+	24.0 J+	13.0 J+	21.7 J+	56.9 J+	39.9 J+	4.0 U	4.0 U	4.5 J+	4.0 U	4.0 U	15.4 J+	4.0 U	4.0 U	17.7 J+	15.5 J+
Acrolein	50	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	8.0 U	
Acrylonitrile	50	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	
Benzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
Bromodichloromethane	100	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
Bromoform	10	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
Bromomethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
Carbon disulfide	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
Carbon tetrachloride	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
Chlorobenzene	100	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
Chloroethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
Chloroform	70	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
Chloromethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
cis-1,2-Dichloroethene	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
cis-1,3-Dichloropropene	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
Dibromochloromethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
Dibromomethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
Ethylbenzene	700	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
m&p-Xylene	50	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	
Methylene Chloride	5	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
o-Xylene	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
Styrene	100	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
Toluene	1000	1.0 U	1.0 U	1.0 U	1.0 U</												

Table B-1
Groundwater VOC Concentrations
Second Semi-Annual Groundwater Monitoring Report for 2016
Fibers Public Supply Wells Superfund Site, Guayama, Puerto Rico



Notes:

Units in µg/L (micrograms per liter).

Results from United States Environmental Protection Agency (USEPA) Method 8260 analysis.

GWCC: Ground Water Cleanup Criteria (USEPA Maximum Contaminant Level [MCL] Drinking Water Standards).

Bold values exceed GWCC.

⁽¹⁾: Haloethers GWCC based on default standard for volatile organic compounds of 50 µg/L per individual compound or 100 µg/L for total of compounds.

U: The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

J: The compound was positively identified; however, the associated numerical value is an estimated concentration only.

J+: The result is an estimated quantity, but the result may be biased high.

UJ: The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.

D: Concentration is based on a diluted sample analysis.

ND: Non-detect.